6 Leading AI Detection Tools for Academic Writing — A comparative analysis

Author

Uttkarsha Bhosale

Post Url

https://www.enago.com/academy/6-ai-detection-tools-for-academic-writing/



The advent of AI content generators, exemplified by advanced models like ChatGPT, Claude AI, and Bard, has revolutionized the way we interact with language. These sophisticated large language models, trained on vast datasets of text and code, demonstrate an uncanny ability to produce diverse text formats, translate languages, and even create content that mirrors human writing styles.

While these applications bring transformative language interactions, they also carry notable drawbacks, including potential accuracy gaps, ethical concerns regarding deceptive use, misuse for malicious purposes, job displacement, biases from training data, organizational overreliance leading to diminished creativity, security threats, attribution difficulties, resistance to change, and unintended consequences. Striking a balance necessitates meticulous consideration, ethical frameworks, and ongoing research to navigate challenges while harnessing the benefits of <u>evolving Al</u> technologies.

Hence, the rise of <u>AI detector tools</u> has emerged to address a critical concern: discerning whether a piece of text originates from a human or an artificial intelligence



source. By scrutinizing specific patterns and attributes indicative of AI authorship, such as sentence length and word choice consistency, these tools aim to provide users with the ability to distinguish between human-created and AI-generated content.

With this article, we present a comprehensive comparative analysis of prominent AI detection tools designed to evaluate their effectiveness in handling various types of academic articles. The tools under scrutiny include Trinka and Enago Reports <u>AI</u> <u>Detector</u>, Writer, CopyLeaks, Contentdetector.ai, Sapling, and Duplichecker. The analysis was conducted by evaluating the tools on their performance with two types of content – human-generated and AI-generated academic articles. The human-generated articles were written by subject matter experts, while the AI-generated content was produced using the latest language models to simulate academic writing. Both sets of articles covered similar topics and were comparable in terms of length and complexity. By testing the tools on these two corpuses, we aimed to assess their accuracy levels, quality of results, and usability across human-authored and AI-written text. A key focus is placed on assessing accuracy, the readability of summaries, and user satisfaction across these platforms.

Let's explore!

Comparative Analysis of Top 6 AI Detector Tools

Note: In the below image, the percentage represents the probability of the content being Al-generated.



| 6 LEAD | Analysis of DING AI ECTION | |
|---|--|--|
| TRINKA & Jer | 1ago Reports | **** |
| Human-generated Text: 32.87% | Al-generated Text: 94.51% | Word & Phrase Level Matching: Both word & phrase level detection |
| Strength High accuracy without Does not misuse or let Free for all | | • Only 10 sessions allowed per day |
| WRITER | | **** |
| Human-generated Text: 100% | Al-generated Text: 0% | Word & Phrase Level Matching: None |
| • Clear results | | • Misinterprets Al-generated text for human-generated |
| Copyleaks Human-generated Text: No percentage; shows text is human-generated | Al-generated Text: No percentage, text is Al-gener | shows ated |
| Strength | | Weakness |
| High accuracy Real-time processing | capabilities | Sometime flags false positives |
| | | |
| CONTENTDETECTOR.AI | | $\star\star\star\star\star\star$ |
| | Al-generated Text: 40.32% | Word & Phrase Level Matching: None |
| CONTENTDETECTOR.AI | | Word & Phrase Level Matching: |
| CONTENTDETECTOR.AI Human-generated Text: 25.68% | 40.32% | Word & Phrase Level Matchings None |
| CONTENTDETECTOR.AI Human-generated Text: 25.68% Strength • Free for all users with | 40.32% | Word & Phrase Level Matching: None Weakness • Flags false positives • Lacks real-time checking for AI content, which it claims to do. • Limited information of the detection |
| CONTENTDETECTOR.AI Human-generated Text: 25.68% Strength • Free for all users with count | 40.32% | Word & Phrase Level Matching: None Weakness • Flags false positives • Lacks real-time checking for AI content, which it claims to do. • Limited information of the detection process |
| CONTENTIDETECTOR.AI Human-generated Text: 25.68% Strength • Free for all users with count | 40.32% | Word & Phrase Level Matching: None |
| CONTENTDETECTOR.AI Human-generated Text: 25.68% Strength • Free for all users with count Sapling Human-generated Text: 25.7% | 40.32% | Word & Phrase Level Matching: None Weakness Flags false positives Lacks real-time checking for AI content, which it claims to do. Limited information of the detection process Word & Phrase Level Matching: None |
| CONTENTIDETECTOR.AI Human generated Text: 25.68% Strength • Free for all users with count Scapling Human generated Text: 25.7% Strength • Good accuracy | 40.32% | Word & Phrase Level Matching: None |
| CONTENTIONTECTOR AI Human-generated Text: 25.68% Strength • Free for all users with count Scount Human-generated Text: 25.7% Strength • Good accuracy • Share results feature | 40.32% | Word & Phrase Level Matching: None |
| CONTENTIDETECTOR.AI Human-generated Text: 25.68% Strength • Free for all users with count Scapling Human-generated Text: 2.7% Strength • Good accuracy • Share results feature Cupii Checker Human-generated Text: | Al-generated Text: | Word & Phrase Level Matching: None Decision: Decision: < |

1. Trinka and Enago Report AI Detector



| RINKA Apps * Features | Pricing Enterprise Tools API Resources | Register for Free Sign | i In |
|---|--|---|---------|
| Detect Al-Generated Content | | 8/10 sessions remaining tod | tay |
| broadly includes expenses towards: Personnel (payroll) Materials | | × | |
| Equipment Consumables | | | |
| Travel | | | |
| 416/500 words | Human Generated Text (32.87%) | | |
| Al-generate | d | | Ì |
| Al-generate | | Register for Free | Sign In |
| Anna a Fashura | | Register for Free 7/10 sessions remain | |
| Apps Feature RINKA Detect Al-Generated Content outcomes and how success will be aspects of your project. It includes aligns with the project's goals and necessity of the funds. Be realistic sustained beyond the grant period Highlight any existing or potential | | 7/10 sessions remain it outlines the financial ized. Ensure that the budget m, demonstrating the how the project will be tions and Partnerships: edibility and effectiveness, | |

Ease of Use and Integration – ????

- This <u>AI Detector tool</u> is available on Trinka as well as Enago Reports page. It offers a seamless user experience with no sign-up requirement, allowing quick access and integration. The product is currently designed to work accurately only for English. It exclusively accepts text input, and document uploads are not supported.
- 2. Users can perform text checks up to 10 times per day, defined as sessions, each day resetting independently. The user interface keeps individuals informed about their session count in real-time, prominently displayed in the top right corner. Sessions are not transferable between days, ensuring a clear usage policy.



- 3. It delivers results categorizing text as "Human Generated" or "AI Generated" along with a percentage score denoting the extent of AI content. Users are educated about the score's meaning through detailed explanations provided post-analysis.
- 4. The input text is constrained by a lower limit of 100 words and an upper limit of 500 words. Once a result is displayed, the text becomes uneditable, and users can return to the default state by clicking the cross [X] button.

Efficiency – ?????

- 1. Trinka and Enago Reports AI Detector correctly identifies and classifies instances of human and/or AI generated text.
- 2. The current AI content detector is designed in such a way that it will detect content based on the probability of 2 words being written together. If that probability is high, then there is a high chance of the content being AI generated.
- 3. It ensures high accuracy without false positives.
- 4. It processes and detects data in real-time.
- 5. Does not misuse or leak input data.

Cost - ?????

• Currently, the product is free for all.

2. Writer



Human-generated

WRITER

AI Content Detector

Use our free detector to check up to 1,500 characters, and decide if you want to make adjustments before you publish. Al contant detection is **only available in the Writer app as an APt** and is limited to checks of 1500 characters of a time. Find out more in our <u>help center article</u>.

| Add a URL | | |
|-----------------------|---|-------------------------|
| https:// | | 100% |
| Add some text | | HUMAN-GENERATED CONTENT |
| | | |
| It is often a challen | ge for budding researchers to present an estimated cost of | |
| their research. How | ever, remember that the grant budget is not an | Fantastic! |
| organizational bud | get! Furthermore, in today's age of stiff competition, even | |
| senior researchers | vill benefit from improving their budgeting skills. In this | |
| | ss ways on how to draft a compelling budget for grant | |
| proposal. | | |
| Why is the Budget | ection Important for a Grant ProposalP | |
| A grant budget is it | portant to paint the financial picture of your research | |
| proposal to the fun | ders. The budget for grant proposal provides the following: | |

AI-generated

| Al Content | Add o URL | 100% |
|---|--|--------------------------------|
| Detector | Add some text | 100% HUMAN-GENERATED CONTEN |
| Use our free detector to check up to 1,500 characters, and decide if you want to mate adjustments before you publish. All content detection is only available in the Writer app as an API , and is limited to checks of 1,500 characters at a time. Find out more in our <u>belo center article</u> . | A successful grant proposal is crucial for securing funding for a project or initiative. To increase the chances of approval, it's important to address key requisites and pay special attention to the budget section. Here are some essential elements of a successful grant proposal: Clarity and Canciseness: Clearly articulate your project's goals, objectives, and the problem it alims to address. Be concise and avoid unnecessary jargon to ensure the proposal is easily understood by a diverse audience. Alignment with Grantor's Objectives: 1457/1500 CHARACTERS | Fantastic! |

Ease of Use and Integration – ???

- 1. Accessible directly on the Writer platform, it seamlessly integrates into the writing process.
- 2. User-friendly; but average UI experience may affect clarity.
- 3. It primarily supports only English inputs.
- 4. Allows detection of only 1500 characters at a time.

Efficiency – ??

1. Writer AI detector doesn't efficiently discern between human-generated and AIgenerated text.



- 2. It flags false positives, affecting the overall reliability on the tool.
- 3. Real-time processing contributes to prompt results.

Cost - ???

1. Is freely available, but only allows detection of 1500 characters.

3. Copyleaks

| oyle | aks Products v | Integrations 🗸 | Pricing Resourc | es v | 🛲 Engla | h ~ | Login | Sign Up | Get A Der |
|------|---|--|---|--|-----------------------------|--|-----------------------|-----------------------------|-----------|
| | Pas | e your content below | , and we'll tell you il | any of it has been A | N-generated within se | conds with e | ceptional acc | uracy. | |
| | Examples: | | | | | | | | |
| | | Bard Human Al | | | tunders. The budget for | | | Thesis Expert | |
| | Details of the possit Reassurance to func- List of other income Guarantees an opti- Makes practical imp | le expenditures for the p | proposed research pro- have a realistic sense vered in the grant prop irch project smoother. | ject. of the expenses to com | plete the work proposed | | arowides the row | and. | |
| | An estimated budge | t quantifies the financial | plan for possible expe | nses during the resear | ch project. The budget fo | r grant proposa | /s must demons | | |
| | | | | īhis is human tex | | | | | lear |
| ۰. | _ | | | | | _ | _ | _ | _ |
| A | l-gen | erated | | | _ | | | | |
| _ | l-gen(aks Products | ✓ Integrations ✓ | Pricing Reso | | t De | | | | n Up) G |
| _ | aks Products | Integrations AI | Pricing Rest | ten | | tec | to | r | in Up) Ga |
| _ | aks Products Pa Examples: | Integrations AI | Pricing Reso CON ow, and we'll tell yo | ten | t De | tec thin seconds | to | nal accuracy. | |
| _ | CALS Products Pa Examples: GPT4 ChatGPT A successful grant | Integrations Content below Bard Human | Pricing Reso CON ow, and we'll tell yo Al + Human securing funding for a | project or initiative. | t De | tec thin seconds | eto with exception | nal accuracy. Hi, Thesis | Expert TE |
| _ | CALS Products Pa Examples: GPT4 ChatGPT A successful grant | Integrations Integrations | Pricing Reso CON ow, and we'll tell yo Al + Human securing funding for a | project or initiative. | t De een Al-generated wi | tec thin seconds | eto with exception | nal accuracy. Hi, Thesis | Expert TE |
| _ | Carity and Cooks Clearly articulate Beconces and ave | Integrations Integrations | Pricing Reso CON ow, and we'll tell you Al + Human securing funding for a home sure score ease | project or initiative. T entra elements of a su | t De een Al-generated wi | tec thin seconds of approval. It | eto with exception | nal accuracy. Hi, Thesis | Expert TE |

Ease of Use and Integration – ?????

1. Good UI with a clear interface for enhanced user experience.

2. It typically accepts English content.

Efficiency – ??

- 1. Copyleaks demonstrates questionable proficiency in accurately identifying text origins.
- 2. Instances of false positives highlight undependable results.
- 3. Real-time processing capabilities contribute to efficient checks.

Cost – ?

 It has a monthly subscription plan of USD 8.33 that credits 1200 points. 1 credit = 250 words. However, even 1 word crossing the limit of the credit, accounts for loss of the next credit. For e.g.: 251 words detected= 2 credits deducted.

4. Contentdetector.ai



| CONTENTDETECTOR.AI | →] Log |
|--|---------------------------------|
| I Detector Al Content Detector ChatGPT & Al Checker | |
| H1 H2 H3 P B / | |
| While financial support is crucial for conducting research, acquiring funds for your research is a challenging task and so is planning the budget for grant proposal ! The key requisites of a successful grant proposal are: | How Artificial is Your Content |
| Uniqueness of the research problem Best possible plan for solving the problem Appropriate budget planning | Probability of 25.68% |
| In an attempt to grab the attention of funders, researchers strive to submit innovative research proposals and often overlook other elements when creating a successful grant proposal. One such neglected section is | Share D Save |
| the budget for grant proposals. It is important for funders to know how finances are being utilized. | |
| | -Đ Lợ |
| Al-generated | -Ĵ Lo |
| Al-generated • CONTENTDETECTOR.AI Al Detector Al Content Detector ChatGPT & Al Checker | |
| Al-generated © CONTENTDETECTOR.AI Al Detector Al Content Detector ChatGPT & Al Checker H1 H2 H3 P B / | |
| Al-generated • CONTENTDETECTOR.AI Al Detector Al Content Detector ChatGPT & Al Checker | Harr Antificial in Your Contact |
| Al-generated CONTENTDETECTOR.AI CONTENTDETECTOR.AI Al Detector Al Content Detector ChatGPT & Al Checker H1 H2 H3 P B // A successful grant proposal is crucial for securing funding for a project or initiative. To increase the chances of approval, it's important to address key requisites and pay special attention to the budget section. Here are | Harr Antificial in Your Contact |
| Al-generated CONTENTDETECTOR.AI CONTENTDETECTOR.AI Al Detector Al Content Detector ChatGPT & Al Checker H1 H2 H3 P B / A successful grant proposal is crucial for securing funding for a project or initiative. To increase the chances of approval, it's important to address key requisites and pay special attention to the budget section. Here are some essential elements of a successful grant proposal: Clarity and Conciseness:Clearly articulate your project's goals, objectives, and the problem it aims to | How Artificial is Your Content |

Ease of Use and Integration – ????

- 1. Availability on the Contentdetector.ai platform ensures easy access.
- 2. Offers a good UI with a clear interface for enhanced user experience.
- 3. Compatible with English inputs only.

Efficiency – ???

- 1. Provides percentage based reporting.
- 2. Fails to check for AI content in real-time, which is boasts about.

Cost - ?????



1. Free to use for all with unlimited word count.

5. Sapling

| Sapling | Products + Solutions + Sign In Pricing Contact Gert Stanled |
|---------------|--|
| | |
| | AI Detector |
| | While you are seeking for funds, the funder is interested in investing in projects that bring other resources to the table. Owing to this, your budget section * must induce two sections |
| | Dennes Revenue |
| | Inclusion of expenses is obviously the major part of the budget section. Likewise, mentioning revenue in this case means other sources that will pay for your research. |
| | You'd wonder-writy do the potential funders care about where the other maney is coming from? Well, it is to instill trust in the funders. Acquiring some or most of the needed funds gives credibility to your research and ensures the funder that organizations are willing to invest in non-profit research. |
| | Do Not Over-Estimate Your Budget It is critical to base your budgeted expenses on the true costs of your project requisites. But pulling numbers out of thin air will lead to confusion and taily Telever: 399 |
| | D them Centroms (Digities after 3 Days) |
| | hmpuc/sapiling.ak/si-summero-dem-sape/Sid/Sid/Sid/Sid/Sid/Sid/Sid/Sid/Sid/Sid |
| | |
| | Query has been truncated. Free users can query up to 2000 characters per query (about 400-450 tokend). Sign up to query up to 8000 characters per query. Fake: 74.3% |
| \l-ger | False: 74.3% |
| \I-ger | |
| | False: 74.3% |
| | nerated |
| | nerated |
| | The rated |
| | Exe: 2.92 Contracted Net: 1: 00d ref: 0 date di Statut Contracted Detector Contracted |
| Al-ger | Exe: 2.92 Centrated Market State State <tds< td=""></tds<> |
| | Image: State Image: State |
| | |

Ease of Use and Integration – ??

- 1. UI quality is average, and results can be confusing.
- 2. It also labels AI-generated content as "Fake", which may be misleading.
- 3. It accepts textual input in English.

Efficiency – ???



- 1. Sapling is adequate at identifying the nature of text content.
- 2. The absence of a "clear text" feature might impact user convenience.
- 3. Features a "Share result" option for enhanced collaboration.

Cost – ?

1. Allows 2000 characters for free; charges a monthly fee of USD 25 for unlimited access.

6. Duplichecker



Ease of Use and Integration – ?????



- 1. Its good UI allows an overall positive user experience.
- 2. Allows inputs in English only.

Efficiency – ??

- 1. Duplichecker doesn't adeptly identifies and categorizes text origins. It misinterprets AI data for human-generated.
- 2. It falsely flags positives, misleading users and impacting overall accuracy.
- 3. Real-time processing capabilities ensure prompt results.

Cost - ?????

1. Is freely available, but only allows detection of 2000 words.

Takeaways for Users

1. Informed Decision-Making

- Publishers and editors must make informed decisions when selecting an AI detection tool for use in scholarly publishing workflows.
- These considerations should go beyond accuracy, encompassing factors like user interface, scalability, and overall user feedback.

2. Enhanced Editorial Processes

- The adoption of effective AI detection tools can enhance editorial processes by streamlining the identification of AI-generated content.
- This, in turn, enables publishers and editors to maintain the integrity of academic publications and uphold ethical standards.

3. Author Awareness

- Authors should be aware of the existence and utilization of AI detection tools in <u>the</u> publishing process.
- Clear communication from publishers can help authors understand how these tools contribute to maintaining the authenticity of scholarly content.

Challenges and Limitations of Current AI Detection Tools

1. False Positives and Negatives

Many tools, including Duplichecker, face challenges in accurately labeling content. False positives and negatives can compromise the reliability of results, posing challenges for users who depend on these tools for precise identification of AI-generated content.

2. Limited Multilingual Support

Our comparative analysis indicates that all the tools are tailored for accuracy in English but may not perform as proficiently in other languages. This limitation restricts the universality of these tools and calls for advancements in multilingual support.

3. Ambiguous Detection Process

Several tools, such as Writer and Contentdetector.ai, lack transparency in providing detailed information about the detection process. Users may find it challenging to trust results when the inner workings of the AI models are not clearly communicated.

4. Lack of Standardization

The absence of standardized metrics for AI detection tools complicates the comparison process. Publishers and users face challenges in benchmarking tools against each other, making it crucial for the industry to work towards establishing standardized evaluation criteria.

Recently, OpenAI, the originator of ChatGPT, introduced an AI classifier tool for English-language text. Positioned as a solution to detect AI-generated content, the tool faced challenges, leading to its eventual shutdown due to a 'low rate of accuracy. " Criticized for generating false positives and false negatives during evaluations, OpenAI openly acknowledged its limitations and committed to researching more effective provenance techniques for text. This setback underscores the complexity of ensuring accuracy in AI detection as generative AI technology and chatbots continue to grow.

While AI detection tools present valuable contributions to scholarly publishing, challenges and limitations persist. Publishers, editors, and authors must navigate these complexities to integrate these tools effectively into their workflows, ultimately preserving the integrity of academic content. Continued research and development in the field hold the key to addressing current limitations and advancing the capabilities of AI detection tools in scholarly publishing.

Future iterations of AI detectors may not only identify AI-generated content but also discern the specific type of AI utilized, marking a significant step forward in distinguishing between various language models.

The comparative study reveals nuanced insights into the strengths and weaknesses of various AI detection tools in the realm of scholarly publishing. The choice of the best tool depends on specific needs. <u>Trinka</u> and <u>Enago Report AI Detector</u>, despite limitations, may be suitable for accurate and free detection. However, it is imperative to consider your priorities, such as accuracy, user experience, and cost, to make an informed decision.

Disclaimer: Please note that AI detection tools cannot be guaranteed to be 100% accurate in all cases due to the continual evolution of language models. These tools rely on algorithms and statistical models to analyze text and make judgments about whether content was generated by an AI system or a human. The predictions made by these tools should be treated as an assisting perspective rather than a final authority on determining if text was AI-generated. We caution against overreliance on AI detection tools and urge applying human review and skepticism before making definitive conclusions about the source of given text.



Cite this article

Uttkarsha Bhosale, 6 Leading AI Detection Tools for Academic Writing — A comparative analysis. Enago Academy. 2024/03/21. https://www.enago.com/academy/6-ai-detection-tools-for-academic-writing/

